

ON TRACK TO TURN ENGINEERED

Heavy Duty Column & Boom Manipulators RC / TRC Range					
Model	Overall Height (m)	Min. Height under Boom (mm)	Max. Height under Boom (mm)	Elevation Speed (mm/min)	Horizontal Arc Travel (m)
RC / TRC 4x3	5,5	1,0	4,0	2000	3,0
RC / TRC 4x3,5	5,5	1,0	4,0	2000	3,5
RC / TRC 4x4	5,5	1,0	4,0	2000	4,0
RC / TRC 4x4,5	5,5	1,0	4,0	2000	4,5
RC / TRC 4x5	5,5	1,0	4,0	2000	5,0
RC / TRC 4,5x3	6,0	1,0	4,5	2000	3,0
RC / TRC 4,5x3,5	6,0	1,0	4,5	2000	3,5
RC / TRC 4,5x4	6,0	1,0	4,5	2000	4,0
RC / TRC 4,5x4,5	6,0	1,0	4,5	2000	4,5
RC / TRC 4,5x5	6,0	1,0	4,5	2000	5,0
RC / TRC 5x3	6,5	1,0	5,0	2000	3,0
RC / TRC 5x3,5	6,5	1,0	5,0	2000	3,5
RC / TRC 5x4	6,5	1,0	5,0	2000	4,0
RC / TRC 5x4,5	6,5	1,0	5,0	2000	4,5
RC / TRC 5x5	6,5	1,0	5,0	2000	5,0
RC / TRC 5,5x3	7,0	1,0	5,5	2000	3,0
RC / TRC 5,5x3,5	7,0	1,0	5,5	2000	3,5
RC / TRC 5,5x4	7,0	1,0	5,5	2000	4,0
RC / TRC 5,5x4,5	7,0	1,0	5,5	2000	4,5
RC / TRC 5,5x5	7,0	1,0	5,5	2000	5,0
RC / TRC 6x3	7,5	1,0	6,0	2000	3,0
RC / TRC 6x3,5	7,5	1,0	6,0	2000	3,5
RC / TRC 6x4	7,5	1,0	6,0	2000	4,0
RC / TRC 6x4,5	7,5	1,0	6,0	2000	4,5
RC / TRC 6x5	7,5	1,0	6,0	2000	5,0



Positioners

Service

Hire

OUT A PERFECTLY PRODUCT

Boom Travel Speed (mm/min)	Max. Load (kg)	Bogie Travel Speed TRC (mm/min)	Track Gauge TRC (mm)	Weight RC (kg)	Weight TRC (kg)
100-2000	480	100-2000	1435	5384	6034
100-2000	420	100-2000	1435	5500	6150
100-2000	370	100-2000	1435	5616	6266
100-2000	300	100-2000	1435	5732	6382
100-2000	245	100-2000	1435	5848	6498
100-2000	480	100-2000	1435	5482	6132
100-2000	420	100-2000	1435	5598	6248
100-2000	370	100-2000	1435	5714	6364
100-2000	300	100-2000	1435	5830	6480
100-2000	245	100-2000	1435	5946	6596
100-2000	480	100-2000	1435	5580	6230
100-2000	420	100-2000	1435	5696	6346
100-2000	370	100-2000	1435	5812	6462
100-2000	300	100-2000	1435	5928	6578
100-2000	245	100-2000	1435	6044	6694
100-2000	480	100-2000	1435	5678	6328
100-2000	420	100-2000	1435	5794	6444
100-2000	370	100-2000	1435	5910	6560
100-2000	300	100-2000	1435	6026	6676
100-2000	245	100-2000	1435	6142	6792
100-2000	480	100-2000	1435	5776	6426
100-2000	420	100-2000	1435	5874	6524
100-2000	370	100-2000	1435	5990	6640
100-2000	300	100-2000	1435	6106	6756
100-2000	245	100-2000	1435	6222	6872



